






Hour meter


	Inductive Hour Meter	Item No.	RL-HM006A	Battery life	5 years	
		Weight(G)	65G	Size(mm)	54x36.5x14.5mm ³	
		Package	Blister card	Color	Black,bule,orange, yellow,red,green	
		Description	1.Inductive hour meter.			
			2.Max Hours:99999.			
3.Work on:Any gasoline engine 2/4 stroke.						
4.Non-resettable.						
5.Waterproof:IP68.						


	Electronic motor Hour Meter	Item No.	RL-HM011D	Battery life	2 years	
		Weight(G)	80G	Size(mm)	73x46.8x20mm ³	
		Package	White box	Color	Black	
		Description	1.Electronic motor hour meter.			
			2.Work on: Electronic motor.			
3.Max Hours:99999.						
4.Non-resettable.						

	Inductive Hour Meter	Item No.	RL-HM016H	Battery life	2 years	
		Weight(G)	70G	Size(mm)	68x33x14mm ³	
		Package	Blister card	Color	Black,bule,orange, yellow,red,green	
		Description	1.Inductive hour meter.			
			2.Max Hours:99999.			
			3.Maintenance reminder.			
4.Partial time is resettable.						
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP68.						


	Inductive Hour Meter	Item No.	RL-HM018	Battery life	2.5 years	
		Weight(G)	68G	Size(mm)	56.2x35.2x16mm ³	
		Package	Blister card	Color	Black,bule,orange, yellow,red,green	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999.			
			3.Maintenance reminder.			
4.Partial time is resettable.						
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP68.						


	Inductive Hour Meter	Item No.	RL-HM019	Battery life	5 years	
		Weight(G)	55G	Size(mm)	57x36x17.3mm ³	
		Package	Blister card	Color	Black, bule , orange , red	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999.			
			3.Maintenance reminder.			
4.Partial time is resettable.						
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP68.						


	Inductive Hour Meter	Item No.	RL-HM025	Battery life	4 years	
		Weight(G)	80G	Size(mm)	75x40x15mm ³	
		Package	Blister card	Color	Black, bule , orange , yellow , red	
		Description	1.Inductive hour meter.			
			2.Max Hours:99999.			
			3.Maintenance reminder.			
4.Total time is resettable.						
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP68.						


	Inductive Hour Meter	Item No.	RL-HM035L	Battery life	DC 5-30V	
		Weight(G)	108G	Size(mm)	67.1x35x17.6mm ³	
		Package	Blister card	Color	Black	
		Description	1.Power supply:DC12V.			
			2.Max Hours:99999.			
			3.Maintenance reminder.			
4.Partial time is resettable.						
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP68.						


Tach/hour meter


	Inductive Tach/hour meter	Item No.	RL-HM011A	Battery life	5 years	
		Weight(G)	80G	Size(mm)	73.5x47x20mm ³	
		Package	White box	Color	Black	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
4.Total time is resettable.						
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP65.						


	Inductive Tach/hour meter	Item No.	RL-HM011L	Battery life	3 years	
		Weight(G)	80G	Size(mm)	73.5x47x20mm ³	
		Package	White box	Color	Black	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Total time is resettable.			
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP65.						
7.With green backlight.						


	Inductive Tach/hour meter	Item No.	RL-HM011N	Battery life	5 years	
		Weight(G)	80G	Size(mm)	73.5x47x20mm ³	
		Package	White box	Color	Black	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Total time is resettable.			
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP65.						
7.With green backlight.						


	Inductive Tach/hour meter	Item No.	RL-HM011E	Battery life	5 years	
		Weight(G)	73G	Size(mm)	80x39.6x20mm ³	
		Package	White box	Color	Black	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Total time is resettable.			
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP65.						
7.Color surfaces labels can be selected.						


	Inductive Tach/hour meter	Item No.	RL-HM011F	Battery life	5 years	
		Weight(G)	75G	Size(mm)	39.6x80x20mm ³	
		Package	White box	Color	Blue colorful label	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Total time is resettable.			
5.Work on:Any gasoline engine 2/4 stroke.						
6.Waterproof:IP65.						
7.Color surfaces labels can be selected.						


	Inductive tach/hour meter	Item No.	RL-HM012	Battery life	2 year
		Weight(G)	60G	Size(mm)	54x36.5x14.5mm ³
		Package	Blister card	Color	Black, bule , orange , yellow , red , green
		Description	1.Inductive Tach/hour meter. 2.Max Hours:99999,Max Rpm:30600. 3.Work on:Any gasoline engine 2/4 stroke. 4.Waterproof:IP68.		


	Inductive tach/hour meter	Item No.	RL-HM016R	Battery Life	2 years
		Weight(G)	70G	Size(mm)	68x33x14mm ³
		Package	Blister card	Color	Black, bule , orange , yellow , red , green
		Description	1.Inductive Tach/hour meter. 2.Max Hours:99999,Max Rpm:60000. 3.Record Max Rpm. 4.Partial time is resettable . 5.Work on:Any gasoline engine 2/4 stroke. 6.Waterproof:IP68.		


	Inductive tach/hour meter	Item No.	RL-HM018R	Battery Life	2.5 years
		Weight(G)	68G	Size(mm)	56.2x35.2x16mm ³
		Package	Blister card	Color	Black, bule , orange , yellow , red , green
		Description	1.Inductive Tach/hour meter. 2.Max Hours:99999,Max Rpm:60000. 3.Maintenance reminder. 4.Record Max Rpm. 5.Partial time is resettable. 6.Work on:Any gasoline engine 2/4 stroke. 7.Waterproof:IP68.		


	Inductive tach/hour meter	Item No.	RL-HM019R	Battery Life	5 years
		Weight(G)	55G	Size(mm)	57x36x17.3mm ³
		Package	Blister card	Color	Black, bule , orange , yellow , red , green
		Description	1.Inductive Tach/hour meter. 2.Max Hours:99999,Max Rpm:60000. 3.Maintenance reminder. 4.Record Max Rpm. 5.Partial time is resettable. 6.Work on:Any gasoline engine 2/4 stroke. 7.Waterproof:IP68. 8.Hours mian interface and RPM main interface can be locked or switched.		


	Inductive tach/hour meter	Item No.	RL-HM020R	Battery Life	2.5 years	
		Weight(G)	88G	Size(mm)	54.7x38.5x14.5mm	
		Package	Blister card	Color	Black	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Record Max Rpm.			
5.Partial time is resettable.						
6.Work on:Any gasoline engine 2/4 stroke.						
7.Waterproof:IP68.						


	Inductive tach/hour meter	Item No.	RL-HM025R	Battery Life	4 years	
		Weight(G)	80G	Size(mm)	70x40x15mm ³	
		Package	Blister card	Color	Black, bule , orange , yellow , red	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999, Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Record Max Rpm.			
5.Total time is resettable.						
6.Work on:Any gasoline engine 2/4 stroke.						
7.Waterproof:IP68.						


	Inductive tach/hour meter	Item No.	RL-HM025B	Battery Life	3.5 years	
		Weight(G)	80G	Size(mm)	70x40x15mm ³	
		Package	Blister card	Color	Black, bule , orange , yellow , red	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999, Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Record Max Rpm.			
5.Total time is resettable.						
6.Work on:Any gasoline engine 2/4 stroke.						
7.Waterproof:IP68.						


	Inductive tach/hour meter	Item No.	RL-HM026A	Battery Life	2.5 years	
		Weight(G)	78G	Size(mm)	76x40x20.5mm ³	
		Package	Blister card	Color	Black	
		Description	1.Inductive Tach/hour meter.			
			2.Max Hours:99999,Max Rpm:30000.			
			3.Maintenance reminder.			
			4.Record Max Rpm.			
5.Partial time is resettable.						
6.Work on:Any gasoline engine 2/4 stroke.						
7.Waterproof:IP68.						


	Inductive tach/hour meter	Item No.	RL-HM026B	Battery Life	2.5 years	
		Weight(G)	80G	Size(mm)	76x40x20.5mm ³	
		Package	Blister card	Color	Black	
		Description	1. Inductive Tach/hour meter.			
			2. Max Hours:99999, Max Rpm:30000.			
			3. Maintenance reminder.			
			4. Record Max Rpm.			
5. Partial time is resettable.						
6. Work on:2P1R engine.						
7. Waterproof:IP68.						


	Inductive tach/hour meter	Item No.	RL-HM026C	Battery Life	5 years	
		Weight(G)	100G	Size(mm)	80x40x20mm ³	
		Package	Blister card	Color	Black	
		Description	1. Inductive Tach/hour meter.			
			2. Max Hours:99999, Max Rpm:20000.			
			3. Maintenance reminder.			
			4. Record Max Rpm.			
			5. Partial time is resettable.			
6. Work on:Any gasoline engine 2/4 stroke.						
7. Waterproof:IP67.						
8. 5 colors surfaces can be selected.						


	Inductive hour meter	Item No.	RL-HM028A	Lifetime	2 years	
		Weight(G)	190G	Size(mm)	79x41x21.4mm ³	
		Package	Color box	Color	Black	
		Description	1. Test the temperature, range from -20℃ to 300℃.			
			2. Set the RPM, range from 200RPM to 3000RPM.			
			3. Recall Max RPM.			
			4. Maintenance service reminder, range from 1-250hours, can be set freely.			
			5. Total hour can not be rest to zero, partial hour is resettable.			
			6. Battery is replaceable.			
7. With backlight.						
8. clock:24:00.						
9. Surface waterproof: IP68.						


	Inductive tach/hour meter	Item No.	RL-HM032A	Battery Life	1.5 years
		Weight(G)	80G	Size(mm)	65x35x17mm ³
		Package	Blister card	Color	Black
		Description	1.Work on:Any gasoline engine 2/4 stroke. 2.Max Hours:9999,Max Rpm:20000 3.Partial time is resettable. 4.Record Max Rpm. 5.Maintenance reminder. 6.With green backlight. 7.Refresh rate can be 0.5S/1S. 8.Can set 1P1R, 2P1R, 3P1R, 4P1R,6P1R, 3p2r,5p2r,1p2r.		


	Inductive tach/hour meter	Item No.	RL-HM032B	Battery Life	1.5 years
		Weight(G)	80G	Size(mm)	65x35x17mm ³
		Package	Blister card	Color	Black
		Description	1.Work on:Any gasoline engine 2/4 stroke. 2.Max Hours:9999,Max Rpm:20000 3.Partial time is resettable. 4.Record Max Rpm. 5.Maintenance reminder(red backlight flash). 6.Blacklight can be selected to: off/on/Auto. 7.Blacklight has two colors: green and red. 8.3Choices buttons can be selected. 9.RPM range can be setted. 10.Clock. 11.Screen can be off.		


	Inductive tach/hour meter	Item No.	RL-H035R	Battery Life	1.5 years
		Weight(G)	85G	Size(mm)	67.x35x18mm ³
		Package	Box	Color	Black
		Description	1.Work on: Ay gasoline engine 2/4 stroke. 2.Max Hours:99999, Max Rpm:20000. 3.Partial time is resettable. 4.Record Max Rpm. 5.Maintenance reminder. 6.With green backlight. 7.Refresh rate can be 0.5S/1S. 8.Waterproof:IP67.		


	Inductive tach/hour meter	Item No.	RL-HM035T	Battery Life	replaceable
		Weight(G)	110G	Size(mm)	67.1x35x17.6mm ³
		Package	Box	Color	Black
		Description	1.Work on:2/4Stroke Gasonline engien. 2.Max Hours:99999H Max Rpm:25000. 3.Partial time is resettable. 4.Record Max Rpm. 6.Temperature unit selectable °C/ F. 8.Sensor: PT100(-20°C-250°C). 9.High temp alert & setting. 10.Waterproof:IP67.		


	Inductive Hour Meter	Item No.	RL-HM035L	Battery life	DC 5-30V
		Weight(G)	108G	Size(mm)	67.1x35x17.6mm ³
		Package	Blister card	Color	Black
		Description	1.Power supply:DC12V. 2.Max Hours:19999H. 3.Maintenance reminder. 4.Partial time is resettable. 5.RPM range:0-19990. 5.RPM alert setting. 5.Work on:Any gasoline engine 2/4 stroke. 6.Waterproof:IP65.		

	Inductive Hour Meter	Item No.	RL-HM035LT	Battery life	DC 6-30V
		Weight(G)	65G	Size(mm)	56.2x35.2x16mm ³
		Package	Blister card	Color	Black, blue, orange, yellow, red, green
		Description	1.Inductive Tach/hour meter. 2.Max Hours:19999H. 3.Maintenance reminder. 4.Partial time is resettable. 5.RPM range:0-19990. 6.Work on:Any gasoline engine 2/4 stroke. 7.Temperature unit selectable °C/ F. 8.Sensor: PT100(-20°C-250°C). 9.High temp alert & setting. 10.Waterproof:IP65.		


	Inductive Hour Meter	Item No.	RL-HM058	Battery life	/	
		Weight(G)	73G	Size(mm)	75x43x20.2mm ³	
		Package	Blister card	Color	Black	
		Description	1.Work on:Any gasoline engine 2/4 stroke.			
			2.Max Hours:999999,Max Rpm:25000.			
			3.Partial time is resettable.			
			4.Record Max Rpm.			
			5.Maintenance reminder(red backlight flash).			
			6.Blacklight can be selected to: off/on/Auto.			
			7.Blacklight has two colors:green and red.			
8.3 Choices buttons can be selected.						
9.RPM range can be setted.						
10.Clock.						
11.Waterproof:IP67.						


	Inductive Hour Meter	Item No.	RL-HM058B	Battery life	/	
		Weight(G)	65G	Size(mm)	56.2x35.2x16mm ³	
		Package	Blister card	Color	Black	
		Description	1.Work on:Any gasoline engine 2/4 stroke.			
			2.Max Hours:9999,Max Rpm:20000			
			3.Partial time is resettable.			
			4.Record Max Rpm.			
			5.Maintenance reminder(red backlight flash).			
			6.Blacklight can be selected to: off/on/Auto.			
			7.Blacklight has two colors: green and red.			
8.RPM range can be setted.						
9.3Choices buttons can be selected.						
10.Clock.						
11.Screen can be off.						
12.Waterproof:IP67.						


	Inductive Hour Meter	Item No.	RL-HM059	Battery life	/	
		Weight(G)	75G	Size(mm)	80x39.6x20mm ³	
		Package	Blister card	Color	Black	
		Description	1.Work on:Any gasoline engine 2/4 stroke.			
			2.Max Hours:999999,Max Rpm:25000.			
			3.Partial time is resettable.			
			4.Record Max Rpm.			
5.Maintenance reminder(red backlight flash).						
6.2 choices of operation system:DPS-1DPS-2.						
7.Waterproof:IP67.						


	Magnetic activated RL-HM012C	Item No.	RL-HM012C	Battery Life	2 years	
		Weight(G)	65G	Size(mm)	54x36.5x14.5mm ³	
		Package	Blister card	Color	Black	
		Description	1. Inductive Tach/hour meter.			
			2. Max hours:99999, Max Rpm:30000.			
3. Work on: Any gasoline engine / DIESEL ENGINE .						
4. Non-resettable.						
5. Waterproof:IP68.						


Vibration Hour meter


	Vibration hour meter	Item No.	RL-HM015B	Battery life	2 years	
		Weight(G)	40G	Size(mm)	67x33x14mm ³	
		Package	Blister card	Color	Black	
		Description	1. Vibration hour meter.			
			2. Max hours:99999.			
3. Partial time is resettable.						
4. Sensitivity can be set.						
5. Press button SET+MENU to lock the screen.						
6. Waterproof:IP68.						

	Vibration hour meter	Item No.	RL-HM016	Battery life	2.5 years	
		Weight(G)	65G	Size(mm)	54x36.5x14.5mm ³	
		Package	Blister card	Color	Black, blue, orange, yellow, red, green	
		Description	1. vibration hour meter.			
			2. Max Hours:99999.9.			
3. Non-resettable.						
4. Work on engine vibration.						
5. Waterproof:IP68.						


	Vibration hour meter	Item No.	RL-HM016B	Battery life	2.5 years	
		Weight(G)	65G	Size(mm)	68x33x14mm ³	
		Package	Blister card	Color	Black, blue, orange, yellow, red, green	
		Description	1. vibration hour meter.			
			2. Max Hours:99999.9.			
3. Partial time is resettable.						
4. Work on engine vibration.						
5. Waterproof:IP68.						


	Vibration hour meter	Item No.	RL-HM016C	Battery life	2.5 years	
		Weight(G)	65G	Size(mm)	68x33x14mm ³	
		Package	Blister card	Color	Black, blue, orange, yellow, red, green	
		Description	1.vribration hour meter.			
			2.Max Hours:99999.9.			
3.Partial time is resettable.						
4.Work on engine vibration.						
5.Sensitivity can be set.						
6.Waterproof:IP68.						


	Vibration hour meter	Item No.	RL-HM019V	Battery life	3 years	
		Weight(G)	70G	Size(mm)	57x36x17mm ³	
		Package	Blister card	Color	Black	
		Description	1.vribration hour meter.			
			2.Max Hours:99999.9.			
3.Partial time is resettable.						
4.Work on engine vibration.						
5.Waterproof:IP68.						


	Vibration hour meter	Item No.	RL-HM020	Battery life	2.5 years	
		Weight(G)	66G	Size(mm)	54.7x38.5x14.5mm	
		Package	Blister card	Color	Black	
		Description	1.vribration hour meter.			
			2.Max Hours:99999.9.			
3.Partial time is resettable.						
4.Work on engine vibration.						
5.Press button SET+MENU to lock the screen.						
6.Screen sleep mode is automcatical.						
5.Waterproof:IP68.						


AC/DC Hour Meter


	Mechanical Hour meterHour Meter	Item No.	RL-HM001	Lifetime	20years	
		Weight(G)	65G	Size(mm)	45x32x60mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 6-50V;AC110-250V.			
			2.Max Hours:99999.			
3.50/60HZ.						
4. Installation size:37*25mm.						
5.Non-Resettable.						


	Mechanical Hour meter	Item No.	RL-HM002	Lifetime	20years	
		Weight(G)	65G	Size(mm)	54x32x60mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 6-50V:AC110-250V.			
			2.Max Hours:99999.			
3.50/60HZ.						
4. Installation size:38*25mm.						
5.Non-Resettable.						


	Mechanical Hour meter	Item No.	RL-HM004	Lifetime	20years	
		Weight(G)	65G	Size(mm)	54x32x60mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 12-40V:AC220-240V.			
			2.Max Hours:9999.			
3.50/60HZ.						
4. Installation size:38*25mm.						
5.Non-Resettable.						


	AC/DC Hour meter	Item No.	RL-HM005	Lifetime	20years	
		Weight(G)	45G	Size(mm)	60mm	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 4.5-90V:AC86-230V.			
			2.Max Hours:99999.			
			3.50/60HZ.			
4.Installation size:43*39mm.						
5.Reset optional.						
6.Total timr is resttable.						


	AC/DC Hour Meter	Item No.	RL-HM008	lifetime	20years	
		Weight(G)	45G	Size(mm)	53x32x24.4mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 4.5-90V:AC86-230V.			
			2.Max Hours:999999.			
3.50/60HZ.						
4.Installation size:37*25mm.						
5.Reset optional.						

	AC/DC Hour Meter	Item No.	RL-HM008A	lifetime	20years	
		Weight(G)	45G	Size(mm)	53x32x24.4mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 4.5-60V:AC86-230V.			
			2.Max Hours:999999.			
3.50/60HZ.						
4.Installation size:37*24mm.						
5.Waterproof : IP68.						


	Mechanical Hour meter	Item No.	RL-HM009	lifetime	20years	
		Weight(G)	60G	Size(mm)	60mm	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 4.5-90V:AC86-230V.			
			2.Max Hours:99999.			
3.50/60HZ.						
4.Installation size:43.5*39.2mm.						
5.Non-Resettable.						


	AC/DC Hour Meter	Item No.	RL-HM010	lifetime	20years	
		Weight(G)	45G	Size(mm)	53x32x24.4mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 4.5-90V:AC86-230V.			
			2.Max Hours:999999.			
3.50/60HZ.						
4.Installation size:37*25mm.						
5.Reset optional.						


	AC/DC Hour Meter	Item No.	RL-HM010A	lifetime	20years	
		Weight(G)	45G	Size(mm)	40.4x27.5x19mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 4.5-90V:AC86-230V.			
			2.Max Hours:999999.			
3.50/60HZ.						
3.Non-resttable.						
4.Waterproof : IP68.						


	AC/DC Hour Meter	Item No.	RL-HM039	lifetime	20years	
		Weight(G)	45G	Size(mm)	48*24*41.1mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply: DC 8-90V:AC86-230V.			
			2.Max Hours:99999.99.			
3.50/60HZ.						
4.Reset optional.						


Battery Indicator


	Battery indicator	Item No.	RL-BI001	Lifetime	/
		Weight(G)	45G	Size(mm)	53x32x24mm ³
		Package	White box	Color	Black
		Description	1.Voltage: 12V,24V, 36V, 48V, 72V.		
2.10-Bar LED indicates.					
3."C" options.					


	Battery indicator	Item No.	RL-BI002	Battery Life	/
		Weight(G)	65G	Size(mm)	60mm
		Package	White box	Color	Black
		Description	1.Voltage:12V, 24V, 36V,48V,72V 2.10-Bar LED indicates. 3."C" "R" options.		


	Battery indicator	Item No.	RL-BI003	Lifetime	/
		Weight(G)	45G	Size(mm)	53x32x24mm ³
		Package	White box	Color	Blak
		Description	1.Voltage: 12V,24V, 36V, 48V, 72V 2.10-Bar LED indicates. 3."C" options		


	Battery indicator & hour meter	Item No.	RL-BI004	Lifetime	/
		Weight(G)	70G	Size(mm)	60mm
		Package	White box	Color	Black
		Description	1.Voltage: 12V,24V, 36V, 48V, 72V. 2.10-Bar LED indicates. 3."C" "R" options. 4.99999hours.		


	Motrocycle battery indicator	Item No.	RL-BI005	Lifetime	/
		Weight(G)	15G	Size(mm)	42x33x11mm ³
		Package	White box	Color	Black
		Description	1.Voltage:12V. 2.3 types:LiFePO4,Acid lead,LiCoO2.		


	Motrocycle battery indicator	Item No.	RL-BI006	Lifetime	/
		Weight(G)	35G	Size(mm)	46x27x13mm ³
		Package	White box	Color	Black
		Description	1.Voltage:12V. 2.low voltage remidner.		


	Motrocycle battery indicator	Item No.	RL-BI006A	Lifetime	/
		Weight(G)	35G	Size(mm)	46x27x13mm ³
		Package	White box	Color	Black
		Description	1.Voltage:12/ 24V. 2.low voltage remidner. 3.3 types:LiFePO4,Acid lead,LiCoO2.		


	Motorcycle battery indicator	Item No.	RL-BI007	Lifetime	/
		Weight(G)	108.6G	Size(mm)	125.x52.5x18mm ³
		Package	Blister card	Color	Black
		Description	1.Voltage:12V.		


	battery indicator	Item No.	RL-BI008	Lifetime	/
		Weight(G)	46.7G	Size(mm)	67.1x35x17.6mm ³
		Package	Blister card	Color	Black
		Description	1.Voltage supply:12V, 24V, 36V, 48V. 2.Low&High voltage remidner and setting. 3.Suitable for many kinds of battery, lead-acid battery, AGM battery GEL battery Li4 battery.		


	Battery indicator & hour meter	Item No.	RL-BI011	Lifetime	2 years
		Weight(G)	108G	Size(mm)	φ56*65mm ³
		Package	White box	Color	Black
		Description	1.Voltage supply:12V, 24V, 36V, 48V. 2.Hours(maintenance) range:0-999999H. 3.19 battery type can be selected,user mode. 4.Inside battery,cr2430,270mAH.		


	battery indicator	Item No.	RL-BI011A	Lifetime	/
		Weight(G)	108G	Size(mm)	φ56*65mm ³
		Package	White box	Color	Black
		Description	1.Voltage supply:12/24V, 36/48V. 2.6 battery type can be selected. 3."C""R" for switch and output.		


	battery indicator	Item No.	RL-BI011B	Lifetime	/
		Weight(G)	114G	Size(mm)	φ56*65mm ³
		Package	White box	Color	Black
		Description	1.Voltage supply:12V, 24V, 36V, 48V. 2.Hours range:0-999999H. 3.Low&High voltage remidner and setting. 4.19 battery type can be selected.		

	Battery indicator & hour meter	Item No.	RL-BI012	Lifetime	4 years
		Weight(G)	135G	Size(mm)	φ64.5*66mm ³
		Package	White box	Color	Black
		Description	1.Voltage supply:12V, 24V, 36V, 48V. 2.Low&High voltage remidner and setting. 3."C""R" for switch and output.		


	battery indicator	Item No.	RL-BI016	Lifetime	/
		Weight(G)	46.5G	Size(mm)	48x24x41.1mm ³
		Package	White box	Color	Black
		Description	1.Voltage supply:12V, 24V, 36V, 48V. 2."C-3""R-4" for switch and output.		


	battery indicator	Item No.	RL-BI018	Lifetime	/
		Weight(G)	46.5G	Size(mm)	47x31.2x45.2mm ³
		Package	White box	Color	Black
		Description	1.Voltage supply:12/24V, 36V, 48V. 2.Another LED for displaying status. 3.6 battery type can be selected. 4."C""R" for switch and output.		


	battery indicator	Item No.	RL-BI022	Lifetime	/	
		Weight(G)	52G	Size(mm)	50x50x32mm ³	
		Package	White box	Color	Black	
		Description	1.Voltage supply:12/24V, 36V, 48V. 2.Five segment LCD battery indicator+ LCD hour meter(LCD can be shut down). 3.Accumulating total running hours of 4.TOT hours range is 0-99999H; non-resettable. 5. Hour resolution is 0.1H when work time range is 0-9999.9H; hour resolution is 1H when work time more than 9999.9H. 6.The initial time can be set to replace an old hour meter(within working 1h). 7.SVC range is 0-2000H; countdown 8.Three status indicators with three colors lights:red, green and yellow; three backlight modes:On/Auto/Off. 9.It provides 9 types discharge curves. 10.Surface waterproof level: IP65. 11.High & low voltage warning can be set.			


	battery indicator	Item No.	RL-BI025	Lifetime	/	
		Weight(G)	52G	Size(mm)	φ62.5mm;41mm	
		Package	White box	Color	Black	
		Description	1.Voltage supply:12/ 24V, 36V, 48V.			
			2. Ten red segment LED battery indicator+LCD hour meter(LCD can be shut down).			
			3.Accumulating total running hours of			
			4.TOT hours range is 0-99999H; non-resettable.			
			5. Hour resolution is 0.1H when work time range is 0-9999.9H; hour resolution is 1H when work time more than 9999.9H.			
			6.The initial time can be set to replace an old hour meter(within working 1h).			
			7.SVC range is 0-2000H; countdown.			
			8.Three status indicators with three colors lights:red, green and yellow; three backlight modes:On/Auto/Off.			
9.It provides 9 types discharge curves.						
10.Surface waterproof level: IP65.						
11.High & low voltage warning can be set.						


Speedometer

	GPS Speedometer	Item No.	RL-SM001	Battery life	/	
		Weight(G)	150G	Size(mm)	φ64.4*66mm	
		Package	White box	Color	White, Black	
		Description	1.Clock:24hours.			
			2.Working voltage:DC10-24V.			
			3.Speed rang:0-999km/h.			
			4.Mileage range:0-99999km.			
5.Waterproof: IP65.						
6.Green backlight.						
7.Overspeed reminder: red led.						


	GPS Speedometer	Item No.	RL-SM002	Battery life	Rechargeable	
		Weight(G)	365G	Size(mm)	115.6x72x23.6mm ³	
		Package	White box	Color	White, Black	
		Description	1.Clock:24hours.			
			2.Working voltage:DC8-36V.			
			3.Speed rang:0-399km/h.			
			4.speed unit KM/H,M/H,KNOT.			
			5.Mileage range:0-500000km.			
			6.Hour range:0-99999.9H			
			7.Temperature test range:-20--250			
			8.Temperature unit: C/F.			
9.High temp/speed alert,maintenance alert.						
8.Waterproof: IP65.						
9.White backlight.						
10.Waterproof:IP67.						
11. Mounting: bracket HM007 or section cup HMB008.						


	GPS Speedometer	Item No.	RL-SM003	Battery life	Rechargeable	
		Weight(G)	95G	Size(mm)	118x68x22mm ³	
		Package	White box	Color	White, Black	
		Description	1.Clock:24hours.			
			2.Working voltage:DC8-36V.			
			3.Speed rang:0-399km/h.			
			4.speed unit KM/H,M/H,KNOT.			
			5.Mileage range:0-500000km.			
			6.Hour range:0-99999.9H			
			7.RPM range:0-20000.			
			8.Suitable for most of2/4 engine.			
			9.Temperature test range:-20--250.			
			10.Temperature unit: C/F.			
			11.High temp/speed/rpm/alert,maintenance alert.			
			12.Waterproof: IP65.			
13.White backlight.						
14.Waterproof:IP67.						
15. Mounting: bracket HM007 or section cup HMB008.						


	bicycle computer	Item No.	RL-BC001	Battery Life	Replaceable	
		Weight(G)	65G	Size(mm)	58x38.5x18mm ³	
		Package	Blister card	Color	Black	
		Description	1.Waterprof: IP65.			
			2.Green backlight.			
			3.Cycling Mileage.			
			4.Cycling Speed.			
5.Cycling Time.						
6.Temperature display.						
6. Tmperatuer unit: C/F.						


	Speedometer	Item No.	RL-HM400	Battery life	Rechargeable	
		Weight(G)	400G	Size(mm)	118x68x22mm ³	
		Package	White box	Color	White, Black	
		Description	1.Clock:24hours.			
			2.Working voltage:DC6-60V.			
			3.Speed rang:0-350km/h.			
			4.speed unit KM/H,M/H.			
			5.Mileage range:0-500000km.			
			6.Hour range:0-65000H			
			7.RPM range:0-20000.			
			8.Suitable for most of2/4 engine.			
			9.Temperature test range:-20--250.			
			10.Temperature unit: C/F.			
11.High temp/speed/rpm/alert,maintenance alert.						
11.Waterproof:IP67.						
12. Mounting: bracket HM007 or section cup HMB008.						


Timer & Counter


	Kitchen timer	Item No.	RL-KT001	Battery life	Replaceable	
		Weight(G)	80G	Size(mm)	66x88x13mm ³	
		Package	White box	Color	White, Black, Orange, Red, Blue	
		Description	1.Clock:12/24hours.			
			2.Count up:99:59:59.			
3.Count down:3 channel 99:59:59.						
4.Battery is replaceable.						


	Kitchen timer with Clock	Item No.	RL-KT002	Battery life	Replaceable	
		Weight(G)	95G	Size(mm)	90x85x22mm ³	
		Package	White box	Color	White, Black, Blue Green	
		Description	1.Clock:12/24hours.			
			2.Count up:99:59:59.			
3.Count down:2 channel 99:59:59.						
4. Reset function and memory function.						
5. Red LED reminder.						


	Humidity & Temperature Timer with Clock	Item No.	RL-KT002A	Battery life	Replaceable	
		Weight(G)	95G	Size(mm)	90x85x22mm ³	
		Package	White box	Color	White, Black, Blue Green	
		Description	1.Clock:12/24hours.			
			2.Count up:99:59:59.			
			3.Count down:2 channel 99:59:59.			
4.Temperature & Humidity display.						
5. Reset function and memory function.						
6. Red LED reminder.						


	Humidity & Temperature Timer with Clock	Item No.	RL-HM200	Battery life	AAA*2,replaceable
		Weight(G)	165G	Size(mm)	44x129x64mm ³
		Package	White box	Color	White, Black, Blue Green, red
		Description	1.Count down: max start from 2099years. 2.5 different exquisite cards by default 3.No theme exquisite card.		


	Humidity & Temperature Timer with Clock	Item No.	RL-HM200B	Battery life	AAA*2,replaceable
		Weight(G)	145G	Size(mm)	44x129x64mm ³
		Package	White box	Color	Black
		Description	1.Clock:12/24hours. 2.Count up:9999days23hours59min59sec. 3.Calender:2000/01/01-2099/12/31. 4.5 different exquisite cards by default.		

	Humidity & Temperature Timer with Clock	Item No.	RL-HM200C	Battery life	AAA*2,replaceable
		Weight(G)	145G	Size(mm)	44x129x64mm ³
		Package	White box	Color	Black
		Description	1.Clock:12/24hours. 2.Count up:9999days23hours59min59sec. 3.Calender:2000/01/01-2099/12/31. 4.5 different exquisite cards by default.		


	Humidity & Temperature Timer with Clock	Item No.	RL-HM202	Battery life	AAA,replaceable
		Weight(G)	65G	Size(mm)	110x48x13.5mm ³
		Package	White box	Color	Black
		Description	1.Clock:12/24hours. 2.Tar date:01/01/18 0:00-12/31/99 23:59 3.Count up:9999days23hours59min59sec. 4.Ring sound:50S. 5.Blacklight range:0-10S.		


	Humidity & Temperature Timer with Clock	Item No.	RL-HM205	Battery life	AAA,replaceable
		Weight(G)	100G	Size(mm)	85x110.5x26mm ³
		Package	White box	Color	White, Black
		Description	1.Clock:12/24hours. 2.Count down:4 channel 99:59:59. 3.Clear function. 4.Display on/off. 5.3 level Alarm sound can be selected.		


	Humidity & Temperature Timer with Clock	Item No.	RL-HM206	Battery life	AAA,replaceable	
		Weight(G)	95G	Size(mm)	84x64x23.9mm ³	
		Package	White box	Color	White, Black	
		Description	1.Clock:12/24hours.			
			2.Count down:4 channel 99:59:59.			
3.Clear function.						
4.Display on/off.						
5.3 level Alarm sound can be selected.						


	Humidity & Temperature Timer with Clock	Item No.	RL-HM207	Battery life	AAA,replaceable	
		Weight(G)	105G	Size(mm)	82.4x122x38mm ³	
		Package	White box	Color	White, Black	
		Description	1.Clock:12/24hours.			
			2.Count down:4 channel 99:59:59.			
3.Clear function.						
4.Display on/off.						
5.3 level Alarm sound can be selected.						


Mount Bracket


	Hour meter bracket	Item No.	RL-HMB001	Weight(G)	0.008G	
		Package	Blister card	Color	Sliver	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Fits 125's, 250's and larger.			
4.Corrosion resistant.						
5.Applicantion:RL-HM006A, RL-HM012, RL-HM016.						


	Hour meter barcket	Item No.	RL-HMB002	Weight(G)	0.02G	
		Package	Blister card	Color	Black	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Fits 125's, 250's and large.			
4.Corrosion resistant.						
5.Applicantion: RL-HM006, RL-HM012, RL-HM016.						

	Hour meter bracket	Item No.	RL-HMB003	Weight(G)	0.02G	
		Package	Blister card	Color	Black	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Fits 125's, 250's and large			
4.Corrosion resistant.						
5.Applicantion:RL-HM018, RL-HM018R.						

	Hour meter bracket	Item No.	RL-HMB004	Weight(G)	0.008G	
		Package	Blister card	Color	Silver, Red	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Fits 125's, 250's and large.			
4.Corrosion resistant.						
5.Application: RL-HM006A,RL-HM012, RL-HM016, RL-HM018,RL-HM018R.						

	Hour meter bracket	Item No.	RL-HMB005	Weight(G)	0.008G	
		Package	Blister card	Color	Silver, Red	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Fits			
4.Corrosion resistant.						
5.Application: RL-HM400,RL-HM006A, RL-HM012(C), RL-HM016,						

	Hour meter bracket	Item No.	RL-HMB006	Weight(G)	0.008G	
		Package	Blister card	Color	Silver, Red	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Application: RL-HM400,RL-HM006A, RL-HM012(C), RL-HM016, RL-HM018(R), RL-HM019(R,V,C,J), RL-HM035(R,C,T,L,LT),RL-HM0(R)RL-TM003A(4,5,8,9),RL-SM002.			

	Hour meter bracket	Item No.	RL-HMB007	Weight(G)	0.008G	
		Package	Blister card	Color	Silver, Red	
		Description	1.Easy assembly.			
			2.Dose not interfere with turning radius.			
			3.Application: RL-HM400,RL-HM006A, RL-HM012(C), RL-HM016, RL-HM018(R), RL-HM019(R,V,C,J), RL-HM035(R,C,T,L,LT),RL-HM0(R)RL-TM003A(4,5,8,9),RL-SM002.			