



Slim mini



Small handle

Mini portable design fast charging car charger

Model: IBD351-CC

Input: DC12-24V

Type-C (PD) Output: (5V/3A,9V/2.22A,12V/1.67A)×2USB

Power: 40W



Slim mini



Small handle

Mini portable design fast charging car charger

Model: IBD351-1UC

Input: DC12-24V

Type-C Output:: 5V/3A,9V/2.22A,12V/1.67A

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Power:38W



Slim mini



Small handle

Mini portable design fast charging car charger

Model: IBD351-1UC

Input: DC12-24V

Output(PD 20W) : 5V3A,9V2.25A,12V1.5A

Output(QC3.0 18W): 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

C+A Total power: 24W (5V/4.8A)×2



95W car charger

CERTIFIED
USB
CHARGER 30W

PD 3.0 PPS
65W fast charging



95W dual port car charger

Model: IBD350-1U1C 63W/75W/83W/95W

PD Output: 5V/3A, 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.25A (65W)

PPS(68W): 3.3-11V/3A, 3.3-21V/3.25A

QC3.0 Output: 5V/3A, 9V/3A, 12V/2.5A (30W)

Power: 95W

95W 3-port car charger

Model: IBD350-1U2C 95W

PD1 Output: 5V/3A, 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.25A (65W)

PPS(68W): 3.3-11V/3A, 3.3-21V/3.25A

PD2 Output: 5V/3A, 9V/3A, 12V/2.5A (30W)

PPS(33W): 3.3-11V/3A

QC3.0 Output: 5V/3A, 9V/3A, 12V/2.5A (30W)

Power: 95W



3X

Fast Charging



58W 3-port car charger

Model: IBD348-1U2C 58W
C1 Output: 5V/3A,9V2.22A,12V/1.67A (20W MAX)
C2 Output: 5V/3A,9V2.22A,12V/1.67A (20W MAX)
A1 Output: 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A(18W MAX)
Power: 58W

60W 3-port car charger

Model: IBD348-3C 60W
C1 Output: 5V/3A,9V2.22A,12V/1.67A (20W MAX)
C2 Output: 5V/3A,9V2.22A,12V/1.67A (20W MAX)
C3 Output: 5V/3A,9V2.22A,12V/1.67A (20W MAX)
Power: 60W





Smart chip

2.4A/3.1A/4.8A Smart Charging Car Charger

Model: IBD347-4.8A/3.1A/2.4A

Input: DC12-24V

Smart Output: 5V/4.8A / 5V/3.1A / 5V/2.4A

Power: 12W/15.5W/12W



QC3.0 fast charge

QC3.0 fast charging car charger

Model: IBD347-2UQ3

Input: DC12-24V

QC3.0 Output : (3.6-6.5V/3A, 6.5-9V/2A,
9-12V/1.5A)×2USB

Power: 36W Max



QC3.0 fast charge



Smart chip

30W fast charging car charger

Model: IBD347-QC3.0+2.4A

Input: DC12-24V

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: 5V/2.4A

Power: 30W Max



QC3.0 fast charge

36W QC3.0+PD fast charging car charger

Model: IBD347-QC+PD

Input: DC12-24V

PD Output: 5V/3A,9V/2A,12V/1.5

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Power: 36W Max



PD3.0/PPS/PD30W

The charging speed of PD3.0 fast charging is 6 times faster than traditional charging



Quick charge agreement



For Macbook

PD30W fast charging car charger

Model: IBD347-PD18W/30W

Input: DC12-24V

Type-C (PD) Output: 5V/3A 9V/3A 12V/2.5A

PPS Output: 3.3V-5.9V/3A, 3.3-12V/3A

Power: 30W



Quick charge agreement



PD 45W+QC3.0 18W



For Macbook



Total power



63W aluminum alloy car charger

Model: IBD346-PD45W

Input: DC12-24V

PD3.0 Output: 5V/3A, 9V/3A, 15V/3A, 20V/2.25A

PPS Output: 3.3-11V/5A, 3.3-16V/3A, 3.3-21V/2.25A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD 45W+QC3.0 18W total 63W

At the same time, charging for 2 smart devices, no matter single or multi person counterparts, can guarantee full power consumption.

"Support Multi-Protocol For Multi-Machine"



Automatic cooling



For Macbook



Total power

63W fast charging car charger with cooling hole

Model: IBD345-PD45W/PD30W

Input: DC12-24V

PD3.0 Output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

PPS Output: 3.3-11V/5A, 3.3-16V/3A, 3.3-21V/2.25A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Power: PD 45W+QC3.0 18W total 63W

At the same time, charging for 2 smart devices, no matter single or multi person counterparts, can guarantee full power consumption.



Automatic cooling



Smart chip

24W Smart Fast Charging Car Charger with Cooling Hole

Model: IBD345-3U-4.8A

Input: DC12-24V

Smart Output: 5V/4.8A

Power: 24W Max



Automatic cooling



Three-port USB



QC3.0 fast charge

54W fast charging car charger with cooling hole

Model: IBD345-3U

Input: DC12-24V

QC3.0 Output: (3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A) x 3 USB

Power: 54W Max



Automatic cooling



QC3.0 fast charge



Smart chip

42W fast charging car charger with cooling hole

Model: IBD345-3UA

Input: DC12-24V

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Smart Output: (5V/2.4A) x 2 USB

Power: 42W Max



Automatic cooling



QC3.0 fast charge

54W fast charging car charger with cooling hole

Model: IBD345-2UC 54W/63W

Input: DC12-24V

PD Output: 5V/3A, 9V/2A, 12V/1.5A

QC3.0 Output: (3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A) x 2 USB

Power: 54W Max





Dual port PD



Quick charge agreement



Slim mini

Dual port PD 40W car charger

Model: IBD342-CC

Input: DC12-24V

Type-C (PD) Output: (5V3A,9V2.22A,12V1.67A)×2USB

PPS Output: 3.3V-11V/2A

Power: 40W



Quick charge agreement



Slim mini

Mini aluminum alloy car charger

Model: IBD342-AC

Input: DC12-24V

Type-C (PD) Output: 5V/3A 9V/3A 12V/2.5A

PPS Output: 3.3V-5.9V/3A, 3.3-12V/3A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD30W+QC18W Total 24W



QC3.0 fast charge



Slim mini

Mini aluminum alloy car charger

Model: IBD342-2UQC

Input: DC12-24V

QC3.0 Output: (3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A)×2USB

Power: QC18W+QC18W Total 36W



Smart chip



Slim mini

2.4A/3.1A/4.8A double port car charger

Model: IBD342-4.8A

Input: DC12-24V

Smart Output: (5V/2.4A)×2USB

Power: 24W Max



PD3.0

PPS

PD 30W

 Qualcomm quick charge 4+

 Qualcomm quick charge 3.0
4X Faster than traditional charge

Aluminum alloy





Quick charge agreement



LED Blue Light

Car charger with digital display zinc alloy

Model: IBD339-AC

Input: DC12-24V

Type-C (PD) Output: 5V/3A 9V/3A 12V/2.5A

PPS Output: 3.3V-5.9V/3A, 3.3-12V/3A

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD30W+QC18W Total 24W



Smart chip



LED Blue Light

Car charger with digital display zinc alloy

Model: IBD339-4.8A

Input: DC12-24V

Smart Output: (5V/2.4A)×2USB

Power: 24W Max



QC3.0 fast charge



LED Blue Light

Car charger with digital display zinc alloy

Model: IBD339-2UQC

Input: DC12-24V

QC3.0 Output : (3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A)×2USB

Power: QC18W+QC18W Total 36W



Dual Ports



LED Blue Light

Car charger with digital display zinc alloy

Model: IBD339-CC

Input: DC12-24V

Type-C (PD) Output: (5V/3A, 9V/2.22A, 12V/1.67A)×2USB

Power: PD20W+PD20W Total 40W



This product is the unique appearance of our company,
private mold with patent. Product USB port supports QC3.0 fast charging,
PD port support Macbook charging.

PD3.0**PPS****PD 30W**

 Qualcomm quick charge 3.0
4X Faster
than traditional charge

 Qualcomm quick charge 4+
PD3.0/PPS





For Macbook
PD 45W

63W max



Quick charge agreement



PD 45W+QC3.0 18W



For Macbook



Total power



63W aluminum alloy car charger

Model: IBD337-PD45W

Input: DC12-24V

PD3.0 Output: 5V/3A,9V/3A,15V/3A,20V/2.25A

PPS Output: 3.3-11V/5A, 3.3-16V/3A, 3.3-21V/2.25A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Power: PD 45W+QC3.0 18W total 63W

At the same time, charging for 2 smart devices, no matter single or multi person counterparts, can guarantee full power consumption.



Quick charge agreement



LED Blue Light



total power

PD30W Quick Charging Car Charger

Model: IBD336-AC PD30W

Input: DC12-24V

Type-C (PD) Output: 5V/3A 9V/3A 12V/2.25A

PPS Output: 3.3V-5.9V/3A, 3.3-11V/3A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD30W+QC18W Total 48W





Dual Ports LED Blue Light

LED lamp digital display car charger

Model: IBD336-CC

Input: DC12-24V

Type-C (PD) Output: (5V/3A 9V/2A 12V/1.5A)×2USB

Power: PD18W+PD18W Total 36W



PD Quick charging LED Blue Light

LED lamp digital display car charger

Model: IBD336-AC PD18W

Input: DC12-24V

Type-C (PD) Output: 5V/3A 9V/2A 12V/1.5A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Power: PD18W+QC18W Total 36W



QC3.0 fast charge LED Blue Light

LED lamp digital display car charger

Model: IBD336-2UQC

Input: DC12-24V

QC3.0 Output: (3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A)×2USB

Power: QC18W+QC18W Total 36W



QC3.0 fast charge LED Blue Light

LED lamp digital display car charger

Model: IBD336-Q3+2.4A

Input: DC12-24V

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: 5V/2.4A

Power: 30W Max



QC3.0 fast charge

QC3.0 18W Quick car charger

Model: IBD335-Q3

Input: DC12-24V

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: 18W Max



QC3.0 fast charge



Smart chip



Total power

30W fast charging car charger

Model: IBD335Q3+2.4A

Input: DC12-24V

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Smart Output: 5V/2.4A

Power: 30W Max



Smart chip



2 Port

24W double port car charger

Model: IBD335-4.8A/3.1A

Input: DC12-24V

Smart Output: (5V/2.4A)×2USB

Power: 24W Max



Smart chip



2 Port

12W double port car charger

Model: IBD335-2.4A

Input: DC12-24V

Smart Output: 5V/2.4A

Power: 12W Max



QC3.0 fast charge



Slim mini



LED Blue Light

Mini aluminum car charger

Model: IBD331-Q3

Input: DC12-24V

QC3.0 Output: (3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A)×2USB

Power: QC18W+QC18W Total 36W



QC3.0 fast charge



Slim mini



LED Blue Light

Mini aluminum car charger

Model: IBD331-PD

Input: DC12-24V

PD Output: 5V/3A, 9V/2A, 12V/1.5A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD 18W+QC 18W Total 36W



Smart chip



Slim mini



LED Blue Light

Mini hidden zinc alloy car charger

Model: IBD330-4.8A

Input: DC12-24V

Smart Output: (5V/2.4A)×2USB

Power: 24W Max



QC3.0 fast charge



Slim mini



LED Blue Light

Mini hidden zinc alloy car charger

Model: IBD330-Q3

Input: DC12-24V

QC3.0 Output: (5V/3A 9V/2A 12V/1.5A)×2USB

Power: QC 18W+QC 18W Total 36W



Mini PD Car Charger




USB+PD



6A current



Smart chip



Widely compatible



PD Quick charging



LED Blue Light

Mini hidden zinc alloy car charger

Model: IBD330-PD

Input: DC12-24V

Type-C (PD) Output: 5V/3A 9V/2A 12V/1.5A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD18W+QC18W Total 36W





PD Quick charging



Quick charge agreement

PD 18W car charger

Model: IBD321-PD

Input: DC12-24V

PD Output: 5V/3A,9V/2A,12V/1.5A

Power: 18W Max



Smart chip



Type-C

30W double port car charger

Model: IBD322-1UC

Input: DC12-24V

Type-C Output: 5V/3A

Smart Output: 5V/2.4A

Power: 30W Max



QC3.0 fast charge

QC3.0 18W Quick car charger

Model: IBD321

Input: DC12-24V

QC3.0 Output: 3.6-6.5V/3A,6.5-9V/2A,9-12V/1.5A

Power: 18W Max



Smart chip

24W double port car charger

Model: IBD322-4.8A/3.1A/2.4A


Input: DC12-24V

Smart Output: (5V/2.4A)×2USB

Power: 24W Max



QC3.0 fast charge



Smart chip



Total power



30W fast charging car charger

Model: IBD322

Input: DC12-24V

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: 5V/2.4A

Power: 30W Max





Dual-port USB



QC3.0 fast charge

36W Dual-port QC3.0 car charger

Model: IBD317-2U

Input: DC12-24V

QC3.0 Output : (3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A)×2USB

Power: 36W Max



Three-port USB



QC3.0 fast charge

54W three-port fast charging car charger

Model: IBD317-3U

Input: DC12-24V

QC3.0 Output : (3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A)×3USB

Power: 54W Max



Three-port USB



QC3.0 fast charge



Smart chip

42W three-port smart fast charging car charger

Model: IBD317-3UA

Input: DC12-24V

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: (5V/2.4A)×2USB

Power: 42W Max



Type-C



QC3.0 fast charge



Smart chip

42W Car Charger with Type-C Fast Charge

Model: IBD317-2UC

Input: DC12-24V

Type-C Output: 5V/3A

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: 5V/2.4A

Power: 42 Max





PD 30W PPS/PD3.0

6 times faster than traditional charging



Quick charge agreement



PD 30W+QC3.0 18W



For Macbook



Total power



48W fast charging car charger

Model: IBD317-PD30W/type-C/PD18W

Input: DC12-24V

PD3.0 Output: 5V/3A, 9V/3A, 12V/2.5A

PPS Output: 3.3-5.9V/3A, 3.3-11V/3A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Power: PD 30W+QC3.0 18W total 48W



Dual-port USB



QC3.0 fast charge



Slim mini

36W Mini Dual-port QC3.0 car charger

Model: IBD316-2U

Input: DC12-24V

QC3.0 Output : (3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A)×2USB

Power: 36W Max



Dual-port USB



QC3.0 fast charge

36W Dual-port QC3.0 car charger

Model: IBD305A-Q3

Input: DC12-24V

QC3.0 Output : (3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A)×2USB

Power: 36W Max



Three-port USB



QC3.0 fast charge



Smart chip

42W three-port smart fast charging car charger

Model: IBD305B-Q3

Input: DC12-24V

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: (5V/2.4A)×2USB

Power: 42W Max



Type-C



QC3.0 fast charge



Smart chip

45W Car Charger with Type-C Fast Charge

Model: IBD305B-C

Input: DC12-24V

Type-C Output: 5V/3A

QC3.0 Output : 3.6-6.5V/3A, 6.5-9V/2A,9-12V/1.5A

Smart Output: 5V/2.4A

Power: 45W Max



Smart chip



Total Power

48W 4-port smart charging car charger

Model: IBD305C

Input: DC12-24V

Smart Output: (5V/2.4)×4USB

Power: 48W Max



Dual-port USB



QC3.0 fast charge

36W fast charging car charger with aluminum ring

Model: IBD307-Q3

Input: DC12-24V

QC3.0 Output: (3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A)×2USB

Power: 36W Max



Three-port USB



QC3.0 fast charge



Smart chip

42W fast charging car charger with aluminum ring

Model: IBD308-Q3

Input: DC12-24V

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Smart Output: (5V/2.4A)×2USB

Power: 42W Max



Type-C



QC3.0 fast charge



Smart chip

45W Type C fast charging Car Char

Model: IBD308-2UC

Input: DC12-24V

Type-C Output: 5V/3A

QC3.0 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A

Smart Output: 5V/2.4A

Power: 45W Max



Smart chip



Total Power

48W fast charging car charger with aluminum ring

Model: IBD309

Input: DC12-24V

Smart Output: (5V/2.4A)×4USB

Power: 48W Max

