

150FS/240FS 无风扇自然冷却

君盘数控充电机



防护等级：IP67
输出功率：150W/240W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	7A/10A	150W 240W	GS
24V级 25-30V	4.5A/8A		
36V级 40-45V	3.5A/5A		
48V级 50-62V	2.5A/4A		
60V级 65-75V	2A/3A		
72V级 84-90V	1.5A/2.5A		

150S/240S 风冷

君盘数控充电机



输出功率：150W/240W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	7A/10A	150W 240W	KC CE GS
24V级 25-30V	5A/8A		
36V级 40-45V	3.5A/5A		
48V级 50-62V	2.5A/4A		
60V级 65-75V	2A/3.5A		
72V级 84-90V	1.5A/2.5A		

360FS 无风扇自然冷却

君盘数控充电机



防护等级：IP67
输出功率：360W

产品特点

FEATURES

- ★ 全自动、涪充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	15A	360W	CE
24V级 25-30V	12A		
36V级 40-45V	8A		
48V级 50-62V	6A		
60V级 65-75V	4.5A		
72V级 84-90V	4A		

400J 风冷

君盘数控充电机



输出功率：420W

产品特点

FEATURES

- ★ 全自动、涪充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	18A	420W	CE
24V级 25-30V	14A		
36V级 40-45V	10A		
48V级 50-62V	7.5A		
60V级 65-75V	6A		
72V级 84-90V	5A		

480FS 无风扇自然冷却

君盘数控充电机



防护等级：IP67
输出功率：480W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	20A	480W	CE
24V级 25-30V	15A		
36V级 40-45V	10A		
48V级 50-62V	8A		
60V级 65-75V	6A		
72V级 84-90V	5A		

600A 风冷

君盘数控充电机



输出功率：670W

产品特点

FEATURES


- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	25A	670W	CE CB PSE KC
24V级 25-30V	20A		
36V级 40-45V	15A		
48V级 50-62V	11A		
60V级 65-75V	9A		
72V级 84-90V	7A		

720FS 无风扇自然冷却

君盘数控充电机



防护等级：IP67
输出功率：720W

产品特点

FEATURES


- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	25A	720W	CE
24V级 25-30V	20A		
36V级 40-45V	16A		
48V级 50-62V	12A		
60V级 65-75V	10A		
72V级 84-90V	8A		

750D 风冷

君盘数控充电机



输出功率：750W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	25A	750W	CE
24V级 25-30V	22A		
36V级 40-45V	15A		
48V级 50-62V	12A		
60V级 65-75V	10A		
72V级 84-90V	8A		

960FS 无风扇自然冷却

君盘数控充电机



防护等级：IP67
输出功率：960W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	40A	960W	CE
24V级 25-30V	26A		
36V级 40-45V	20A		
48V级 50-62V	16A		
60V级 65-75V	13A		
72V级 84-90V	11A		

900F 风冷

君盘数控充电机



输出功率：900W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	35A	900W	CE CB PSE
24V级 25-30V	25A		
36V级 40-45V	20A		
48V级 50-62V	15A		
60V级 65-75V	12A		
72V级 84-90V	10A		

700SDR 防水风冷

君盘数控充电机



防护等级：IP54
输出功率：700W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	25A	700W	CE
24V级 25-30V	20A		
36V级 40-45V	15A		
48V级 50-62V	11A		
60V级 65-75V	9A		
72V级 84-90V	7A		

1000SDR 防水风冷

君盘数控充电机



防护等级：IP54
输出功率：1000W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	35A	1000W	CE
24V级 25-30V	25A		
36V级 40-45V	20A		
48V级 50-62V	15A		
60V级 65-75V	12A		
72V级 84-90V	10A		

1200DR 防水风冷

君盘数控充电机



防护等级：IP65
输出功率：1200W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	45A	1200W	CE
24V级 25-30V	30A		
36V级 40-45V	25A		
48V级 50-62V	20A		
60V级 65-75V	16A		
72V级 84-90V	13A		

1200C/1500C 风冷

君盘数控充电机



输出功率：
1200W/1500W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	45A/50A	1500W	CE KC CB
24V级 25-30V	30A/40A		
36V级 40-45V	25A/30A		
48V级 50-62V	20A/25A		
60V级 65-75V	16A/20A		
72V级 84-90V	13A/16A		

2000SDR 防水风冷

君盘数控充电机



防护等级：IP54
输出功率：1800W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	60A	1800W	CE
24V级 25-30V	50A		
36V级 40-45V	40A		
48V级 50-62V	30A		
60V级 65-75V	25A		
72V级 84-90V	20A		

2000K/2400K 风冷

君盘数控充电机



输出功率：
1800W/2400W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	60A/70A	2400W	CE KC CB
24V级 25-30V	50A/60A		
36V级 40-45V	40A/50A		
48V级 50-62V	30A/40A		
60V级 65-75V	25A/30A		
72V级 84-90V	20A/25A		

3000DR 防水风冷

君盘数控充电机



防护等级：IP65
输出功率：2700W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	80A	2700W	CE
24V级 25-30V	70A		
36V级 40-45V	60A		
48V级 50-62V	45A		
60V级 65-75V	35A		
72V级 84-90V	30A		

3000L 风冷

君盘数控充电机



输出功率：3000W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	80A	3000W	CE
24V级 25-30V	80A		
36V级 40-45V	70A		
48V级 50-62V	50A		
60V级 65-75V	40A		
72V级 84-90V	30A		

5000DR 防水风冷

君盘数控充电机



防护等级：IP65
输出功率：4800W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	100A	4800W	CE
24V级 25-30V	100A		
36V级 40-45V	80A		
48V级 50-62V	70A		
60V级 65-75V	60A		
72V级 84-90V	50A		

5000Q/7000Q/9000Q

君盘数控充电机



输出功率：
4800W/7000W/9000W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	100A/150A /200A	4800W 7000W 9000W	CE
24V级 25-30V	100A/150A /200A		
36V级 40-45V	80A/130A /180A		
48V级 50-62V	70A/110A /150A		
60V级 65-75V	60A/90A /120A		
72V级 84-90V	50A/70A /100A		

4000SDR 防水风冷

君盘数控充电机



防护等级：IP54
输出功率：3600W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	90A	3600W	CE
24V级 25-30V	80A		
36V级 40-45V	70A		
48V级 50-62V	60A		
60V级 65-75V	50A		
72V级 84-90V	40A		

6000SDR 防水风冷

君盘数控充电机



防护等级：IP54
输出功率：6000W

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	140A	6000W	CE
24V级 25-30V	140A		
36V级 40-45V	120A		
48V级 50-62V	100A		
60V级 65-75V	80A		
72V级 84-90V	65A		

6600DDR 车载风冷防水

君盘数控充电机



防护等级：IP65
输出功率：6600W

产品特点

FEATURES


- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
12V级 14-17V	170A	6600W	CE
24V级 25-30V	140A		
36V级 40-45V	130A		
48V级 50-62V	110A		
60V级 65-75V	90A		
72V级 84-90V	75A		

Y243 移动式风冷

君盘数控充电机



输出功率：24KW

产品特点

FEATURES


- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
60V	400A	24KW	CE
90V	260A		
120V	200A		
150V	160A		
300V	80A		
500V	48A		

M203

君盘数控充电机



输出功率：20KW

产品特点

FEATURES

- ★ 全自动、涌充、平充、涓流充、充满自动关断
- ★ 高精度电流电压锁定、确保充满、绝无过充
- ★ 过流、过压、短路保护、安全可靠
- ★ 指示灯显示、全铝外壳、美观坚固、经久耐用
- ★ 内置输出数字控制/使能控制/选配CAN控制
- ★ 专利技术、品质保证、两年保修、用户无忧

- ★ Fully automatic, surge charging, flat charging, trickle charging, full automatic shutdown
- ★ High-precision current and voltage lock to ensure full charge and no overcharge
- ★ Over current, over voltage, short circuit protection, safe and reliable
- ★ Indicator light display, all-aluminum shell, beautiful and sturdy, durable
- ★ Built-in output digital control/enable control/optional CAN control
- ★ Patented technology, quality assurance, two-year warranty, worry-free users

输出电压 OUTPUT VOLTAGE	输出电流 OUTPUT CURRENT	最大输出功率 MAXIMUM OUTPUT	认证 CERTIFICATION
150V	130A	20KW	CE
300V	66A		
400V	50A		
500V	40A		
750V	26A		
η≥94%		PF≥0.99	

THE PLUG

输入/输出可选择 AC输入端/DC输出端

输入插头



输出插头

